

AKINSOFT

CORPORATE IDENTITY WORK



"Software Icon"

We are AKINSOFT

Turkiye's largest domestic software brand AKINSOFT, as a private sector enterprise with its own equity capital, has been on many platforms since the day it was founded with its professional business approach, young and dynamic staff, the value it gives to humanity, its structure that never compromises its goals and principles, and with its works around the world, managed to reach the top.

AKINSOFT, which was established on April 12, 1995, today serves more than 160,000 small, medium and large scale businesses with more than 2000 dealers and support points in 81 cities in Turkiye and 36 countries around the world.

AKINSOFT stands by businesses with more than 120 software, including ERP Solutions, Accounting Programs, Commercial Programs, Sectoral Programs, Web Programs, Mobile Programs, E-Commerce solutions, and E-Transformation solutions.

AKINSOFT, which broke new ground in Turkiye, produced Turkiye's first humanoid robots in 2009 and started mass production of robots in 2015 by laying the foundations of Turkiye's first humanoid robot factory AKINROBOTICS. Within the scope of the value it gives to science and education, it opened the Istanbul Robot Museum, the world's first humanoid robot museum, in order to share all technological development processes with technology lovers.

AKINSOFT, which determined its 28-year visions on the day it was founded, has successfully completed its 2000, 2005, 2010, and 2015 visions and accelerated its efforts to realize the 2023 vision.

AKINSOFT and AKINROBOTICS were established with their own capital and grew without any support and have become one of the important dynamics of Turkiye today.

It has fulfilled each of the visions it set in the days it was founded and started the plans to offer AKINSOFT and AKINROBOTICS to the public and to establish AKINSPACE High Technology Institute, which is aimed at in the days of its establishment.



AKINSOFT Circle Logo Usage



- AKINSOFT "T" letter must be at the same vertical line with right point of earth
- AKINSOFT "A" letter must be at the same vertical line with earth "A" letter's left end point
- 3 AKINSOFT font Baloo Chettan regular


Color Codes

Pantone CMYK 99 71 14 2
RGB 1 77 142
Html #014d8e
Ral -

Pantone CMYK 80 3 88 0
RGB 7 163 79
Html #07a34f
Ral -



AKINSOFT Circle Logo Usage



- Logo width and height must be equal to each other and number of units have to same with each other.
- AKINSOFT inscription must be 1 unit large.
- When the logo is enlarged or compressed the procedure must be applied proportionally.



AKINSOFT Circle Logo Usage



- Logo top point and AKINSOFT text top point have to be at the same line
- 2 Logo bottom point and earth have to at the same line.
- The Patent mark must be at the same height with upper fingernail of the letter "T".

Color Codes









AKINSOFT Corporate Font



AKINSOFT: Baloo Chettan Regular



Wrong Usage of AKINSOFT Logo





Usage Standards of AKINSOFT logo has been showed in previous pages. Rate, color and ground can not be out of standard.

On the left side you can see wrong usage types. If it is not definated in AKINSOFT Corparete Identity Guide, can not be accepted as a "true" usage.







AKINSOFT Corporate Mail Signature



Corporate Communication Department: Helvetica Neue LT Pro-77 Bold Condensed 8,77 www.akinsoft.com.tr : Helvetica Neue LT Pro-47 Light Condensed 13,53

444 40 80 : Helvetica Neue LT Pro-77 Bold Condensed 16,24 Extension (1224) : Helvetica Neue LT Pro-57 Condensed 12,07

Icon Usage














Color Codes


C:89 M:70 Y:29 K:14

#334676



WOLVOX Logo






Gradient Effects

Color Codes

Pantone 428 C CMYK 22 17 18 0 RGB 198 198 198 Html # c6c6c6 Pantone Cool Gray 9C CMYK 53 47 45 11 RGB 122 118 119 Html # 7a7677

Pantone 663 C CMYK 2 1 2 0 RGB 44 154 66 Html # f7f7f6



WOLVOX Logo




- Length has to be start from letter "W" left top side and finish at letter "X" right bottom side.
- 2 Letter "X" right bottom side and Register's left mid point has to be at the same line.
- S Height has to be measured according to letter "O" top and bottom point.
- O Position of the ® sign has to be from top side of letter "O" to half of right top nail of letter "X".
- Right bottom point of letter "X" and end part of "..." must be at the same vertical line.
- "ERP E-Business" inscription must start at the same line with left bottom side of letter "W"



OCTOPLUS Logo







Pantone 7690 C CMYK 92 47 15 1 RGB 0 118 169 Html # 0076a9 Pantone 7682 C CMYK 32 35 4 0 RGB 101 145 197 Html #6591c5


Pantone -CMYK 0 0 0 0 RGB 255 255 255 Html # ffffff

Color Codes

Pantone 730 C CMYK 30 60 94 16 RGB 160 103 46 Html # a0672e Pantone -CMYK 1 2 37 0 RGB 255 241 177 Html # ffftb1

Gradient Effectst

Pantone CMYK 0 0 0 0 0
RGB 255 255 255
Html #ffffff



OCTOPLUS Logo

- Lenght must starts from left top side of icon and ends with ® sign.
- Height starts from ending section of left top arm of icon and ends with the "Multi-Purpose Accounting Software" inscription
- O Location of ® sign must start in the same alignment with teh top section of the letter "S" and must be the size of one fourth of Octoplus font size.
- 4 Font: Monotype Corsiva





CafePlus Logo





Color Codes

Pantone 377 C CMYK 63 24 100 7 RGB 107 145 0 Html #6b9100 Gradient Effectst

Pantone -CMYK 69 38 100 27 RGB 77 104 2 Html # 4d6802 Pantone -CMYK 69 38 100 27 RGB 77 104 2 Html # 4d6802



CafePlus Logo




- Lenght must start from the left feet of the Cafeplus Icon and must end at the end of the top section of letter s.
- Height must start at the end of the top section of Cafeplus Icon and must end at the bottom section of letter f.
- The top section section of ® sign must be in alignment with the top section of the letter C.
- Font: Monotype Corsiva



DAPROX Logo





Color Codes










Pantone	423 C
CMYK	50 42 42 6
RGB	133 133 133
Html	# 858585

I			y 60
II	37 3		
I			
U		ialia	



DAPROX Logo

- Lenght must start at the ending point of the letter "D" and must must end at the ending point of the letter "X"
- 2 Height must be measured according to the bottom and top points of the letter "D"
- RRegister sign must be in alignment with the top point of the letter "D" and it must be one third of the letter "D"
- @ Font: Digitall







INOVAX Logo







RGB 255 255 255 CMYK 0 0 0 0 Html #ffffff RGB 0 0 0 0 0 CMYK 75 68 67 90 Html #000000



INOVAX Logo


- 1 The length must start from the letter "l" and
- end to the right of the letter "X".

 2 "Turkiye's science and technology magazine" and "innovative technology" articles should be placed at the top and bottom throughout the INOVAX article.





OCTOCLOUD Logo




Color Codes

Pantone	
CMYK	73 - 34 - 1 - 0
RGB	64 - 143 - 204
Html	#408fcc
Ral	

Pantone	
CMYK	63 - 0 - 21 - 0
RGB	86 - 191 - 206
Html	# 56bfce
Ral	




OCTOCLOUD Logo



- Letter "O" and letter "D" ending points must based on for logo lenght.
- 2 Top and bottom point of cloud shapes must be based on for height
- Bottom small part of the cloud shape must start and end on 1st and 2nd middle of "O" letters.
- **O** Font: Azonix



SiteCloud Logo





SiteCloud Logo




- Letter "S" and letter "D" ending points mustbased on for logo lenght.
- 2 Top and bottom point of cloud shapes must be based on for height.
- Cloud Shape must be at in the middle of letter "C" and letter "D" and in alignment with letter "L" and letter "U".
- @ Font: Site: Biko ClouD: Azonix



Rezzta Logo





Color Codes

Pantone 7622C CMYK 29 100 90 35 RGB 136 24 26 Html #88181a Ral - Pantone CMYK 100 100 100 100
RGB 0 0 0
Html #000000
Ral -

Pantone CMYK 0 0 0 0
RGB 255 255 255
Html #ffffff
Ral -



TaskPano Logo



Color Codes





TaskPano Logo


- 1 Tick must be aligned with TaskPano letters.
- The word Task must be Black and the word Pano must be Semibold Font: (Task) Outfit Black (Pano) Outfit Semibold






3adımdaiş Logo

x=1 Unit



Renk Kodları






3adımdaiş Logo



- 1 Logotype and shape must be centered.
- 2 3adimdaiş text font: Gilroy



AKINSOFT Solution Partner Business Card

Turkish



5,5cm



8,5cm



Helvetica Neue LT Pro-57 Condensed-6pt

AKINSOFT ÇÖZÜM ORTAĞI Firma İsmi Adres: Tel: x xxx xxx xx xx Faks: :

Faks: x xxx xxx xx xx

444 40 80 font: 00717 pt:6


Helvetica Neue LT Pro-57 Condensed isim SOYISIM 10pt

Ünvanı

isimsoyisim@akinsoft.com.tr 7pt

05xx xxx xx xx

"Türkiye'nin Vizyonu" font: 00717 pt:6





AKINSOFT Solution Partner Signboard

A0	3 cm	A7	240 cm
A1	380 cm	A8	135 cm
A2	25 cm	A9	115 cm
A3	110 cm	A10	115 cm
A4	100 cm	A11	135 cm
A5	38 cm	A12	14 cm
A6	75 cm	A13	15 cm
A14	Including Register 25	0 cm / Excludir	ng Register 240 cm



A0 = The cut that separates the text on the signboard from the main surface of the signboard (Chromed leg)





AKINSOFT Corporate Web Standards



Standards AKINSOFT solution partners must use on their websites.

Your Website;

1.AKINSOFT Logo and text on the homepage 2.A sub-page for Logo and text we place on the homepage, 3.You can link to the page www.akinsoft.com.tr

The above mentioned substances are listed for sampling purposes only. Besides these, you can do different works about AKINSOFT.

Note: Examples of links you can put on sub-pages or on your homepage;

a.Customer Log-in,

b.Dealers Map

c.List of our Programs,(Commercial - Sectoral - Apparatus)

d.Campaigns,

e.Banner works,

f.Frequently asked questions,

g.Program news,

h.Request / Suggestion Part...

Please visit www.akinsoft.com.t for logos and banners that you can use in your works for AKINSOFT corporate identity.



AKINSOFT Company Envelope



Title

FONT:Helvetica Neue LT Pro-77 Bold Condensed Punto:9

Sub Text

FONT: Helvetica Neue LT Pro-57 Condensed Punto:9

AKINSOFT GENEL MERKEZ

Yazır Mah. Ulusal Sk. AKINSOFT Plaza No: 103 Selçuklu / Konya / Türkiye Telefon: +90 (332) 261 18 00 Faks: +90 (332) 261 17 77

AKINSOFT İSTANBUL BÖLGE MÜDÜRLÜĞÜ

Gümüşpala Mah. E-5 Yanyol No: 194 Avcılar / İstanbul / Türkiye

Telefon: +90 (212) 694 45 65


AKINROBOTICS İNSANSI ROBOT FARİKASI

Başak Mah. Konya Ereğli Cad. No: 116 Karatay / Konya / Türkiye

Telefon: +90 (332) 334 02 20

"Türkiye'nin Vizyonu"

FONT:00717 Punto:11



AKINSOFT Dosya



gelecek seninle

FONT: Roundkey Punto: 49

akinsoft akinsoftyazilim


FONT:Helvetica Neue LT Pro-67 Medium Condensed Punto:17




Background




AKINSOFT Letterhead






AKINSOFT Corporate Vehicles





AKINSOFT Corporate Vehicles





AKINSOFT and WOLVOX Swallowtail Flag













AKINSOFT Promotional Items



























AKINSOFT Insana değer...

AKINSOFT ISTANBUL REGIONAL DIRECTORATE

- Gümüşpala Mahallesi E-5 Yanyol Caddesi E-5 Yanyol Caddesi AKINSOFT Plaza No: 194 Avcılar / İstanbul / TÜRKİYE
- +90 (212) 694 45 65 pbx
- 6 444 40 80
- m www.akinsoft.com

AKINSOFT HEADQUARTERS

- Yazır Mahallesi Ulusal Sokak AKINSOFT Plaza No: 103 Selçuklu / Konya / TÜRKİYE
- +90 (332) 261 18 00 pbx
- Q 444 40 80
- m www.akinsoft.com.tr

AKINROBOTICS HUMANOID ROBOT FACTORY

- Başak Mahallesi Konya Ereğli Caddesi No: 116 Karatay / Konya / TÜRKİYE
- +90 (332) 334 02 20 pbx
- 6 444 40 80
- www.akinrobotics.com